

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product Identifiers**

Product Name : Eco Advance EAWOD640PD Wood Siloxane Waterproofer Ready-To-Use  
 Brand : Eco Advance  
 SKU : EAWOD640PD

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified Uses : Industrial & Consumer

**1.3 Details of the supplier of the safety data sheet (SDS)**

Company : Eco Advancements Inc  
 1564 W Searcy St  
 Kensett, AR 72082  
 USA  
 Telephone : +1 501-278-2320

**1.4** Emergency Phone # : CHEMTREC: 1-800-424-9300 / +1 703-527-3887

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)  
 Skin irritation (Category 1), H316  
 Eye irritation (Category 1), H320  
 Skin irritation (Category 1), H316

For the full text of the H-Statements mentioned in this section, see section 16

**2.2 GHS Label elements, including precautionary statements**

Pictogram



HEALTH	1
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	B

Signal word : Caution

Hazard statement(s)

H303 : May be harmful if swallowed.  
 H316 : Causes mild skin irritation.  
 H320 : Causes eye irritation.  
 H335 : May cause respiratory irritation.

Precautionary Statement(s)

P304 + P340 : IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.

P342 + P311 : IF experiencing respiratory symptoms: call a POISON CENTER or doctor/physician.

P301 + P312 : IF SWALLOWED: call a POISON CENTER or doctor/physician IF you feel unwell.

P305 + P351 + P338 : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 : IF eye irritation persists: Get medical advice/attention.

P302 + P352 : IF ON SKIN: wash with plenty of soap and water.

**2.3 Hazards not otherwise classified (HNOC) or not covered by GHS**

None present. This is not a hazardous material as defined in the OSHA Hazard Communication Standard.

**SECTION 3: Composition/information on ingredients**

**3.1 Substances**

Synonyms : Silicones  
 CAS-No. : NA

**Hazardous components**

Component	Classification	Concentration
<b>None</b>		

For the full text of the H-Statements mentioned in this Section, see Section 16.

**SECTION 4: First aid measures**

**4.1 Description of first aid measures**

**General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

**If inhaled**

Move victim to fresh air. If victim is unconscious, administer artificial respiration and get medical attention.

**In case of skin contact**

Take off contaminated clothing and shoes immediately. Wash exposed areas with soap and water.

**In case of eye contact**

Flush eyes with water for a minimum of fifteen minutes. If irritation persists, get medical attention immediately.

**If swallowed**

Do NOT induce vomiting. May be harmful if ingested. Observe victim for nausea; seek medical attention in conditions persist.

**4.2 Most important symptoms and effects, both acute and delayed.**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 1.1

**4.3 Indication of any immediate medical attention and special treatment needed.**

No data available

**SECTION 5: Firefighting measures**

**5.1 Extinguishing media**

Suitable extinguishing media  
 Use water based product, boiling point 212°F

**5.2 Special hazards arising from the substance or mixture**

This product is not for injection into humans. This product contains Methylpolysiloxanes which generate formaldehyde at approximately 300°F (150°C) and above, in atmospheres which contain oxygen. Formaldehyde is a skin and respiratory sensitizer, eye and throat irritant, acute toxicant and potential carcinogen.

**5.3 Advice for firefighters**

Wear self-contained breathing apparatus for firefighting if necessary

**5.4 Further information**

None known.

**SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures**

For large spills, flush the spill with water spray. Wear recommended protective equipment.

**6.2 Environmental precautions**

Prevent runoff from contacting public drains, sewers, or streams.

**6.3 Methods and materials for containment and cleaning up**

Soak up spills with absorbent, noncombustible material and place it in labeled containers for disposal.

**6.4 Reference to other sections**

For disposal see section 13

---

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Avoid contact with skin and eyes.

For precautions see section 2.2.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in a cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Moisture sensitive.

Storage class (TRGS 510):

**7.3 Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

---

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

**8.2 Exposure controls****Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

**Personal protective equipment****Eye/face protections**

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

**Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

## Full contact

Material : Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatrill® (KCL 740 / Aldrich Z677272, Size M)

## Splash contact

Material : Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatrill® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

**Body protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

**Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

**Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

---

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

a -	Appearance	Form: liquid Color: translucent to white
b -	Odor	Mild (amine)
c -	Odor threshold	No data available
d -	pH	4.5 - 6.0
e -	Melting point / freezing point	32°F / 0°C
f -	Initial boiling point and boiling range	212°F / 100°C
g -	Flash point	None
h -	Evaporation rate	<1 (butyl acetone =1)
i -	Flammability (solid, gas)	> 200°F
j -	Upper/lower flammability or explosive limits	No data available
k -	Vapor pressure	No data available
l -	Vapor density	No data available
m -	Relative density	No data available
n -	Water solubility (@ 20°C)	Soluble
o -	Solubility in organic solvent (state solvent)	Soluble in alcohols
p -	Partition coefficient : n-octanol/water	No data available
q -	Auto-ignition temperature	No data available
r -	Decomposition temperature	No data available
s -	Viscosity	20 CPS
t -	Explosive properties	No data available
u -	Oxidizing properties	No data available
v -	Specific Gravity (H <sub>2</sub> O = 1)	1.01 (@ 25°C)

**9.2 Other safety information**

No data available

---

**SECTION 10: Stability and reactivity****10.1 Reactivity**

No data available

**10.2 Chemical stability**

Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions**

Will not occur

**10.4 Conditions to avoid**

No data available

**10.5 Incompatible materials**

- Strong oxidizing agents, Acids
- 10.6 Hazardous decomposition products**  
Other decomposition products - carbon monoxide, carbon dioxide, formaldehyde  
In the event of fire: see section 5

---

**SECTION 11: Toxicological information****11.1 Information on toxicological effects****Acute toxicity**

None found

**Skin corrosion/irritation**

None found

**Serious eye damage/eye irritation**

None found

**Respiratory or skin sensitisation**

No data available

**Germ cell mutagenicity**

No data available

**Carcinogenicity**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

The use of respiratory equipment is mandatory for all spray applications

**Additional Information**

No data available

---

**SECTION 12: Ecological information****12.1 Toxicity**

No data available

**12.2 Persistence and degradability**

No data available

**12.3 Bioaccumulative potential**

No data available

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment**

No data available

**12.6 Other adverse effect**

No data available

---

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Product**

The product is not considered a hazardous waste under Federal Hazardous Waste Regulation 21CFR 261. Please be advised, however, that state and local requirements for waste disposal may be more restrictive or otherwise different from federal regulations. Consult your state and local disposal agencies regarding regulations pertaining to the proper disposal of this material. It is recommended that the absorbed waste product be land filled after securing Environmental Regulatory Agency and landfill operations approval. Regulations may also apply to empty containers, liners, or rinsate.

**Contaminated packaging**



Dispose of as unused product.

---

**SECTION 14: Transport information**

- 14.1** This product is not a DOT hazardous material and is therefore not regulated.
- 14.2** Special precautions for user  
No data available

---

**SECTION 15: Regulatory information**

- 15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture  
No data available
- 15.2** Chemical Safety Assessment  
For this product a chemical safety assessment was not carried out

---

**SECTION 16: Other information**

**Full text of H-Statements referred to under sections 2 and 3.**

- H303 May be harmful if swallowed.
- H316 Causes mild skin irritation.
- H320 Causes eye irritation.
- H335 May cause respiratory irritation.

TO THE CUSTOMERS OF ECO ADVANCEMENTS, INC.

All statements, technical information and recommendations contained herein are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties, express or implied:

Seller's and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Neither seller nor manufacturer shall be liable for any injury, loss of damage, direct, or consequential arising out of the use of or the inability to use the product. Before using, user shall determine the suitability of the product for his intended use. The user assumes all risk and liability whatsoever in connection therewith.

No statement or recommendation contained herein shall have any force or effect unless in an agreement signed by officers of seller and manufacturer. Since the manufacturer of the product described in this technical data sheet has no means of controlling the final use of the product by the consumer for the user, it is the responsibility of the immediate purchaser and any intermediate seller or sellers to inform the user of the purposes for which the product may be fit and suitable and of the properties of the product, including the precautionary measures which must be taken in order to ensure the safety of the user and of other third persons and property.

No statement made herein shall be taken as an authorization or inducement to practice any patented invention without appropriate license.